


SYSTEM COMPOSITION

1. Wooden beams 70x170 mm
2. Chipboard board th. 19mm
3. Plaster th. 12,5 mm
4. Acoustic panel PHONOTECH PH40
5. Fermacell sheet th. 12,5 mm
6. Roofing underlayment
7. Lathing
8. Roof tiles

R (dB) per octave band (Hz)

Frequency (Hz)	125	250	500	1000	2000
R (dB)	18,8	35,6	48,9	52,4	55,9

Insulation



System	Sound reduction		
	R _w (dB)	RA (dB)	RA _{tr} (dB)
C-W-G-PH60-FG	43	39	33

ADRESS

Zoning Industriel les Plénesses
Rue des Waides 8, 4890 Thimister
Belgium

WEBSITE

www.phonotech.com

E-MAIL

info@phonotech.com

PHONE

+32 (0) 87 33 33 30

FAX

+32 (0) 87 78 52 30