


SYSTEM COMPOSITION

1. Wooden beam 70x170 mm
2. Chipboard panel th. 19mm
3. Acoustic panel PHONOTECH PH60
4. Fermacell sheet th. 12,5 mm

R (dB) per octave band (Hz)

Frequency (Hz)	125	250	500	1000	2000
R (dB)	23,8	40,1	50,4	54,9	57,7

Insulation



System	Sound reduction			Thickness (mm)
	R _w (dB)	R _A (dB)	R _{A,tr} (dB)	
C-W-PH60-FG	48	44	37	85